

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Alkohol-Tupfer**

Revision date: 02.04.2024

Page 1 of 10

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Alkohol-Tupfer

UFI: P8JM-ASM4-7G0J-C9NN

**1.2. Relevant identified uses of the substance or mixture and uses advised against****1.3. Details of the supplier of the safety data sheet**

Company name:	AMPri Handelsgesellschaft mbH	
Street:	Benzstraße 16	
Place:	D-21423 Winsen (Luhe)	
Telephone:	+49-4171-8480-0	Telefax: +49-4171-8480-190
E-mail:	info@ampri.de	
Internet:	www.ampri.de	

**1.4. Emergency telephone number:** +49-(0)551-19240  
GIZ Nord, 24 h**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**Flam. Liq. 2; H225  
Eye Irrit. 2; H319  
STOT SE 3; H336

Full text of hazard statements: see SECTION 16.

**2.2. Label elements****Regulation (EC) No 1272/2008****Hazard components for labelling**

propan-2-ol; isopropyl alcohol; isopropanol

**Signal word:** Danger**Pictograms:****Hazard statements**

H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.

**Precautionary statements**

P102	Keep out of reach of children.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233	Keep container tightly closed.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P501	Dispose container at an authorized waste disposal company.

**2.3. Other hazards**

No information available.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Alkohol-Tupfer

Revision date: 02.04.2024

Page 2 of 10

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol			70 %
	200-661-7	603-117-00-0		
	Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336			

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
67-63-0	200-661-7	propan-2-ol; isopropyl alcohol; isopropanol	70 %
	inhalation: LC50 = 47,5 mg/l (vapours); dermal: LD50 = 12800 mg/kg; oral: LD50 = 5280 mg/kg		

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### After inhalation

Provide fresh air. If victim is at risk of losing consciousness, position and transport on their side. Seek medical attention if symptoms occur or persist.

#### After contact with skin

Change contaminated, saturated clothing. After contact with skin, wash immediately with plenty of water and soap. In case of troubles or persistent symptoms consult doctor.

#### After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

#### After ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately. Do NOT induce vomiting. Caution if victim vomits: Risk of aspiration!

### 4.2. Most important symptoms and effects, both acute and delayed

Signs of eye or skin irritation: burning, redness, swelling. Overexposure may cause drowsiness, tiredness, dizziness, headache, and possibly loss of consciousness.

Practical experience/human evidence: Large quantities: Inhalation causes narcotic effects/intoxication. The product is skin resorptive. Irritation of mucous skin. Has degreasing effect on the skin.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Carbon dioxide (CO<sub>2</sub>). Extinguishing powder. Atomized water. alcohol resistant foam. Sand. earth.

#### Unsuitable extinguishing media

High power water jet.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Alkohol-Tupfer

Revision date: 02.04.2024

Page 3 of 10

#### **5.2. Special hazards arising from the substance or mixture**

In case of fire may be liberated: Carbon monoxide Carbon dioxide.

In case of fire in the surroundings the formation of dangerous gases/vapour is possible too.

Vapours are heavier than air and will spread at floor level. Reignition possible over considerable distance.

In case of fire and/or explosion do not breathe fumes.

#### **5.3. Advice for firefighters**

In case of fire: Wear self-contained breathing apparatus. Full protective suit.

#### **Additional information**

Keep use of water under control with respect to possible contamination of environment.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Use water spray jet to protect personnel and to cool endangered containers.

Move undamaged containers from immediate hazard area if it can be done safely.

### **SECTION 6: Accidental release measures**

#### **6.1. Personal precautions, protective equipment and emergency procedures**

##### **General advice**

See protective measures under point 7 and 8. Provide adequate ventilation. Avoid: Eye contact. Keep away from sources of ignition - No smoking.

#### **6.2. Environmental precautions**

Do not allow to enter into surface water or drains.

#### **6.3. Methods and material for containment and cleaning up**

##### **Other information**

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### **6.4. Reference to other sections**

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

### **SECTION 7: Handling and storage**

#### **7.1. Precautions for safe handling**

##### **Advice on safe handling**

Personal protection equipment: see section 8

Avoid contact with eyes. When using do not eat, drink or smoke. Remove contaminated, saturated clothing immediately.

##### **Advice on protection against fire and explosion**

Keep away from sources of ignition - No smoking. Provide adequate ventilation. Take precautionary measures against static discharges. Use only in well-ventilated areas.

##### **Advice on general occupational hygiene**

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink or smoke.

#### **7.2. Conditions for safe storage, including any incompatibilities**

##### **Requirements for storage rooms and vessels**

Keep only in the original container. Keep container tightly closed. Keep in a cool, well-ventilated place.  
storage temperature: < 40°C

##### **Hints on joint storage**

Keep away from: Oxidizing agents, strong.

Keep away from food, drink and animal feedingstuffs.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Alkohol-Tupfer

Revision date: 02.04.2024

Page 4 of 10

#### Further information on storage conditions

Protect from direct sunlight.

#### 7.3. Specific end use(s)

In case of special use, contact supplier.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
		500	1250		STEL (15 min)	WEL

#### Additional advice on limit values

DNEL/DMEL and PNEC values: No data available

#### 8.2. Exposure controls

##### Appropriate engineering controls

Safe handling: see section 7

##### Individual protection measures, such as personal protective equipment

##### Eye/face protection

No special protection at recommended use.

##### Hand protection

not applicable

##### Skin protection

In case of recommended use no special protection required.

##### Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection is required in case of exceeding exposure limit values.

Combination filtering device Filter type: A (colour: brown)

##### Environmental exposure controls

Do not allow to enter into surface water or drains.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state:	Gel	
Colour:	colourless	
Odour:	like: Alcohol	
Melting point/freezing point:		not determined
Boiling point or initial boiling point and boiling range:		~82 °C
Flammability:		not applicable
		not applicable
Lower explosion limits:		2 vol. %
Upper explosion limits:		14 vol. %
Flash point:		12 °C
Auto-ignition temperature:		> 425 °C
Decomposition temperature:		not determined
pH-Value:		not applicable

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Alkohol-Tupfer

Revision date: 02.04.2024

Page 5 of 10

Viscosity / kinematic:	not determined
Water solubility:	miscible
Solubility in other solvents	
not determined	
Partition coefficient n-octanol/water:	not determined
Vapour pressure:	43 hPa
(at 20 °C)	
Density (at 20 °C):	0,79 g/cm <sup>3</sup>
Relative vapour density:	not determined

#### 9.2. Other information

##### Information with regard to physical hazard classes

###### Explosive properties

Vapours may form explosive mixtures with air.

###### Self-ignition temperature

Solid:

not applicable

Gas:

not applicable

###### Oxidizing properties

Not oxidising.

##### Other safety characteristics

Evaporation rate:

not determined

Solid content:

not determined

Viscosity / dynamic:

not determined

##### Further Information

The information relates to the liquid with which the wipes are soaked.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

### 10.4. Conditions to avoid

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Vapours may form explosive mixtures with air.

### 10.5. Incompatible materials

Oxidizing agents, strong.

### 10.6. Hazardous decomposition products

Decomposition products in case of fire: see section 5.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Alkohol-Tupfer

Revision date: 02.04.2024

Page 6 of 10

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol				
	oral	LD50 mg/kg	5280	Rat	
	dermal	LD50 mg/kg	12800	Rabbit	
	inhalation vapour	LC50	47,5 mg/l	Rat	

#### Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

May cause drowsiness or dizziness. (propan-2-ol; isopropyl alcohol; isopropanol)

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### 11.2. Information on other hazards

##### Endocrine disrupting properties

see section 12

### SECTION 12: Ecological information

#### 12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol					
	Acute fish toxicity	LC50 mg/l	9640	96 h	Pimephales promelas	
	Acute algae toxicity	ErC50 mg/l	> 1000	72 h	Desmodesmus subspicatus	
	Acute crustacea toxicity	EC50 mg/l	13299	48 h	Daphnia magna	

#### 12.2. Persistence and degradability

The single components are biodegradable.

#### 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

#### 12.4. Mobility in soil

The product has not been tested.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Endocrine disrupting properties

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Alkohol-Tupfer

Revision date: 02.04.2024

Page 7 of 10

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

No information available.

#### Further information

Avoid release to the environment.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

##### Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

Recycling, if possible.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

##### List of Wastes Code - residues/unused products

070604 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; other organic solvents, washing liquids and mother liquors; hazardous waste

##### Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

### SECTION 14: Transport information

#### Land transport (ADR/RID)

##### 14.1. UN number or ID number:

UN 3175

##### 14.2. UN proper shipping name:

SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (propan-2-ol; isopropyl alcohol; isopropanol)

##### 14.3. Transport hazard class(es):

4.1

##### 14.4. Packing group:

II

Hazard label:

4.1



Classification code:

F1

Special Provisions:

216 274 601

Limited quantity:

1 kg

Excepted quantity:

E2

Transport category:

2

Hazard No:

40

Tunnel restriction code:

E

#### Inland waterways transport (ADN)

##### 14.1. UN number or ID number:

UN 3175

##### 14.2. UN proper shipping name:

SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (propan-2-ol; isopropyl alcohol; isopropanol)

##### 14.3. Transport hazard class(es):

4.1

##### 14.4. Packing group:

II

Hazard label:

4.1



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Alkohol-Tupfer

Revision date: 02.04.2024

Page 8 of 10

Classification code:	F1
Special Provisions:	216 274 601 800
Limited quantity:	1 kg
Excepted quantity:	E2

#### Marine transport (IMDG)

<b>14.1. UN number or ID number:</b>	UN 3175
<b>14.2. UN proper shipping name:</b>	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (propan-2-ol; isopropyl alcohol; isopropanol)
<b>14.3. Transport hazard class(es):</b>	4.1
<b>14.4. Packing group:</b>	II
Hazard label:	4.1



Special Provisions:	216, 274
Limited quantity:	1 kg
Excepted quantity:	E2
EmS:	F-A, S-I

#### Air transport (ICAO-TI/IATA-DGR)

<b>14.1. UN number or ID number:</b>	UN 3175
<b>14.2. UN proper shipping name:</b>	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (propan-2-ol; isopropyl alcohol; isopropanol)
<b>14.3. Transport hazard class(es):</b>	4.1
<b>14.4. Packing group:</b>	II
Hazard label:	4.1



Special Provisions:	A46
Limited quantity Passenger:	5 kg
Passenger LQ:	Y441
Excepted quantity:	E2
IATA-packing instructions - Passenger:	445
IATA-max. quantity - Passenger:	15 kg
IATA-packing instructions - Cargo:	448
IATA-max. quantity - Cargo:	50 kg

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

#### 14.6. Special precautions for user

No information available.

#### 14.7. Maritime transport in bulk according to IMO instruments

not applicable

#### Other applicable information

Due to the small amount of liquid a complete exception from transport regulations is possible, in case the conditions of the respective special provision are fulfilled:

- ADR - SV 216
- RID - SV 216
- ADN - SV 216
- IMDG - SV 216
- IATA - A46



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Alkohol-Tupfer

Revision date: 02.04.2024

Page 9 of 10

#### SECTION 15: Regulatory information

##### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

###### EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40

2010/75/EU (VOC): 70%

2004/42/EC (VOC): 70%

###### National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

##### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

#### SECTION 16: Other information

##### Changes

General review. No change compared to the previous edition.  
This version replaces all previous versions.

##### Abbreviations and acronyms

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service

DNEL: Derived No Effect Level

DMEL: Derived Minimal Effect Level

PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

LL50: Lethal loading, 50%

EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic

vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container

SVHC: Substance of Very High Concern

Flam. Liq: Flammable liquids

Eye Irrit: Eye irritation

STOT SE: Specific target organ toxicity - single exposure

##### Relevant H and EUH statements (number and full text)

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Alkohol-Tupfer

Revision date: 02.04.2024

Page 10 of 10

#### Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

---

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*